

業績目録

小池孝良

著書(本の分担執筆)

- (1) 小池孝良 (1985) 天然林を考える、(鮫島淳一郎編著)、北方林業会、札幌、116-119、120-121、122-123.
- (2) Koike, T., Sakagami, Y. and Fujimura, Y. (1986) Characteristics of the leaf dynamics and photosynthesis of the seedlings and saplings of *Betula maximowicziana* and *Fraxinus mandshurica* var. *japonica* in Hokkaido, Japan. In: Fujimori, T. and Whitehead, D. eds. Crown and Canopy Structure in relation to Productivity, Forestry & Forest Products Research Institute, Sobun-sha, Tokyo, 396-408.
- (3) Takahashi, K., Fujimura, Y. and Koike, T. (1987) Frost damage of Akaezomatsu (*Picea glehnii* Mast.) plantations by a cold air lake. In: Fujimori, T. and Kimura, M. eds. Human Impacts and management of Mountain Forests. Sobun-sha, Tokyo, 167-175.
- (4) Koike, T. (1987) The growth characteristics in Japanese mountain birch (*Betula ermanii*) and white birch (*Betula platyphylla* var. *japonica*) and their distribution in the northern part of Japan. In: Fujimori, T. and Kimura, M. eds. Human Impacts and management of Mountain Forests. Sobun-sha, Tokyo, 189-200.
- (5) 小池孝良 (1988) 天然林施業Q & A、(坂上幸雄・石田茂雄編)、北方林業会、札幌、11-14, 33-36, 41-44, 47-50, 73-74, 91-94.
- (6) 小池孝良 (1992) 色気づくのも年の順、続森林の100不思議、(日林協監修)、東京書籍、東京、140-141
- (7) 小池孝良 (1993) 生態学からみた北海道、(東 正剛・阿部 永・辻井達一編集)、“光合成特性から見た落葉広葉樹林”北大図書刊行会、札幌、160-168.
- (8) 小池孝良 (1994) 北国を上手に生きぬく樹木の能力—北方樹種の環境適応能力—、森林サイエンスの現状と今後の展望、(森林サイエンス研究会編)、全国林業改良普及協会、東京、22-23.
- (9) Koike, T., Häslar, R. and Item, H. (1994) Needle longevity and photosynthetic performance in Cembran pine and Norway spruce growing on the north- and south-facing slopes at the timberline of Stillberg in the Swiss Alps. INT-GTR, USDA Forest Service, 309: 78-80.
- (10) Koike, T. (1995) Vegetation Science in Forestry: Global Perspective based on Forest Ecosystems of East & Southeast Asia. E.O. Box et al. eds., “Physiological ecology of the growth characteristics of Japanese mountain birch in northern Japan: a comparison with Japanese mountain white birch”, Kluwer Academic Publishers, The Netherlands, 409-422.
- (11) Reich, P.B., Koike, T., Gower, S.T. and Schoettle, A. (1995) Ecophysiology of coniferous forests. W.K. Smith and T.M. Hinkley eds. “Causes and consequences of variation in conifer leaf life-span”, Academic Press, San Diego, 225-254.
- (12) 小池孝良(1996) 樹木も日焼けは苦手、森の木の100不思議、(日林協監修)、東京書籍、東京、162-163.
- (13) Schulze, E.-D., Bazzaz, F.A., Nadelhoffer, K., Koike, T. and Takatsuki, S. (1996) SCOPE Series. Functional roles of biodiversity: A global perspective. Mooney, H.A., Cushman, J.H., Medina, E., eds. “Biodiversity and ecosystem function of temperate deciduous broad-leaved forests” Jone Wiler & Sons, Chichester, New York, Shingapore, 71-98.
- (14) 小池孝良 (1998) 森林修復の樹木生理学的基礎、地域生態システム学 (東京農工大学地域生態システム学編集委員会編)、83-86, 朝倉書店、東京、83-86.
- (15) 小池孝良 (1999) 樹木の葉の展開と老化パターン—光利用の視点から—、植物の環境応答、(渡辺 昭・寺島一郎・篠崎一雄編著)、秀潤社、東京、102-106
- (16) Nakamura, T., Kitao, M., Tobita, H., Maruyama, Y., Lei, T.T. and Koike, T. (2000) Observation of patchy stomatal closure and growth of white birch seedlings raised under ambient and elevated CO₂ with special reference to soil moisture. In Tree Sap II (Terazawa,

M. ed.) Hokkaido University Press, Sapporo, 97-104.

- (17)小池孝良 (2001) 森林の百科事典. (太田猛彦・北村昌美・熊崎実・鈴木和夫・須藤彰司・只木良也・藤森隆郎編), 丸善、東京、(分担)
- (18)小池孝良・生原喜久雄 (2002) 植物の栄養・肥料辞典、(茅野充夫ほか編)、林木の肥料、朝倉書店、東京、
- (19)小池孝良 (2002) 温暖化環境における森林の応答、河川文化, 10巻、河川文化協会
- (20)小池孝良 (2002) 垂直分布における環境適応、樹木環境生理学、(永田 洋・佐々木 恵彦編著)、文永堂、東京
- (21)小池孝良 (2003) 地球環境変動と植物：高 CO₂ 環境への応答、光と水と植物のかたち一植物生理生態学入門 (村岡裕由・可知直毅編)、文一総合出版、東京、119-138.
- (22)小池孝良 (2003) 生態学事典、共立出版、東京 (分担)
- (23)小池孝良 (2003) 樹木の成長、森林の百科 (井上 真・鈴木和夫・中静透ら編著) 分担執筆、樹木の成長、58-66, 朝倉出版、東京、
- (24)小池孝良 (2003) 光合成辞典、学会刊行センター、東京、
- (25)小池孝良 (2004) 森林・樹木の活力, 85-86, 樹木の生理を測る、94-101, 森林保護学 (鈴木和夫編)、朝倉書店、東京
- (26)Koike, T. (2004) Autumn coloration, carbon acquisition, and leaf senescence. Eds: L.D. Noodén: Plant Cell Death Processes. Elsevier-Academic Press. Amsterdam, San Diego. 245-258.
- (27)Koike, T., Kitaoka, S., Ichie, T., Lei, T.T. and Kitao, M. (2004) Photosynthetic characteristics of mixed broadleaf forests from leaf to stand. In: Shiomi, M. and Kawahata, H. eds. Global Environmental Change in the Ocean and on land. TerraPub, Tokyo, 453-472.
- (28)小池孝良編著 (2004) 樹木生理生態学、朝倉書店、東京 264pp.
- (29)小池孝良 (2004) 地球温暖化と植物の応答、植物生態学 (甲山隆司編著)、朝倉書店、東京、361-391
- (30)Shibata, H., Hiura, T., Tanaka, Y., Takagi, K. and Koike, T. (2005) Carbon cycling and budget in a forested basin of southwestern Hokkaido, northern Japan. In: Kohyama, T., J. Canadell, D.S. Ojima, L.F. Pitelka eds., *Forest ecosystems and environments: Scaling up from shoot module to watershed*, Springer-Verlag, Tokyo, pp89-95.
- (31)Yazaki, K., Maruyama, Y., Mori, S., Koike, T. and Funada, R. (2005) Effects of elevated carbon dioxide concentration on wood structure and formation in trees, Plant responses to air pollution and global change. (Omasa, K. Nouchi, I. De Kok, L J. eds.), Springer Tokyo, pp 89-97.
- (32)Koike, T., Matsuki, S., Tobita, H., Shibata, T., Kitao, M., Qu. L.Y., Choi, D.S., Konno, K., and Maruyama, Y. (2006) “Defense characteristics of seedlings of *Betula platyphylla* var. *japonica* grown under different levels of CO₂ and soil fertility” In : Terazawa, M. ed., Tree Sap III, Hokkaido University Press, Sapporo, 133-140.
- (33)Zyryanova, O.A., Terazawa, M. and Koike, T. (2006) Birches as sap producing species of Russia: their distribution, ecophysiological features, utilization and sap productivity. In : Terazawa, M. ed., Tree Sap III, Hokkaido University Press, Sapporo, 19-35.
- (34)中村太士・小池孝良 (編著) (2005) 森林の科学—森林生態系科学入門—、朝倉書店、東京
- (35)小池孝良(2005) 卷頭言・生産機能、森林の科学—森林生態系科学入門—、中村太士・小池孝良 (編著) 、朝倉書店、東京
- (36)小池孝良(2006) 森林火災で乱される永久凍土と森のメカニズム、森林環境 2006、31-41.
- (37)小池孝良(2006) 今、地球では-人類が直面している課題-(4-10) 地球環境変化とは、私達はどのように対応するか-森林の CO₂ 固定・貯留機能への期待 (37-48) 、フィールド科学の実践例-自然環境修復-研究林の緑化の試み (笛 賀一郎共著) (163-172)、

フィールド科学への招待（鈴木範男編）、三共出版、東京、

- (38) 小池孝良(2006) 環境変動への陸域生態系の応答、 地球環境と生態系 (武田 博清・占部城太郎(編者) 共立出版 東京、68-93.
- (39) 小池孝良 (2006) 地球温暖化と植物、植物と環境ストレス (伊豆田 猛 編著)、コロナ社、東京、88-144
- (40) 小池孝良(2008) ブナの環境応答特性の地域変異—光合成機能と葉の形態・構造一、ブナ林再生の応用生態学 (寺澤和彦・小山浩正編著)、文一総合出版、東京、213-233
- (41) 小池孝良・森本淳子・崔 東壽 (2009) ニセアカシアの光合成能力、ニセアカシアの生態学 (埼尾 均 編著)、文一総合出版、東京.
- (42) 小池孝良(2009) 北の森づくり Q & A (北方林業会) 分担：次世代をうまく育てるには？54-57、銘木を生産するための環境は？146-147、アカエゾマツ等の枝打ちと材質の関係は？152-153、「メジロ」権を使おう 154-155、ウダイカンバの将来の「立て木」の見分け方 (共著：渡辺陽子) 156-157、針葉樹林に侵入したハリギリの育成法は？ (共著：渡辺陽子・佐野雄三) 160-161、
- (43) Morishita, T., Masuyagina, O.V., Koike, T. and Matsuura, Y. (2010) Soil respiration in larch forests. In: Osawa, A., Zyryanova O. A. Matsuura, Y. Kajimoto, T. and Wein, R.W. eds., Permafrost Ecosystem: Siberian Larch Forests. Ecological Studies 209, Springer Verlag. 165-182.
- (44) Koike, T., Mori, S., Zyryanova, O.A., Kajimoto, T., Matsuura, Y. and Abaimov, A.P. (2009) Photosynthetic characteristics of trees and shrubs grown at north- and south-facing slopes in central Siberia. In: Osawa, A., Zyryanova O. A. Matsuura, Y. Kajimoto, T. and Wein, R.W. eds., Permafrost Ecosystem: Siberian Larch Forests. Ecological Studies 209, Springer Verlag. 273-288.
- (45) Yasue, K., Kujansuu, J., Kajimoto, T., Nakai, Y., koike, T., Abaimov, A.P. and Matsuura, Y. (2010) Seasonal changes in stem radial growth of *Larix gmelinii* in central Siberia in relation to its climate responses. In: Osawa, A., Zyryanova O. A. Matsuura, Y. Kajimoto, T. and Wein, R.W. eds., Permafrost Ecosystem: Siberian Larch Forests. Ecological Studies 209, Springer Verlag. 331-346.
- (46) Shi, F., Sasa, K. and Koike, T. (2010) Characteristics of larch forests in Daxingan Mountains, Northeast China. In: Osawa, A., Zyryanova O. A. Matsuura, Y. Kajimoto, T. and Wein, R.W. eds., Permafrost Ecosystem: Siberian Larch Forests. Ecological Studies 209, Springer Verlag. 367-384.
- (47) Jomura, M., Wang W.J., Masuyagina, O.V., Homma, S., kanazawa, Y. Zu, Y.G. and koike, T. (2010) Carbon dynamics of larch plantations in northeastern China and Japan. In: Osawa, A., Zyryanova O. A. Matsuura, Y. Kajimoto, T. and Wein, R.W. eds., Permafrost Ecosystem: Siberian Larch Forests. Ecological Studies 209, Springer Verlag. 385-412.
- (48) Qu L., Makoto K., Choi D.S., Quoreshi A.M. and Koike T. (2010) The role of ectomycorrhiza in boreal forest ecosystem. In: Osawa, A., Zyryanova O. A. Matsuura, Y. Kajimoto, T. and Wein, R.W. Eds. Permafrost Ecosystem: Siberian Larch Forests. Ecological Studies 209, Springer Verlag, 413-426.
- (49) Koike. T., Yazaki, K., Eguchi, N., Kitaoka, S. and Funada, R. (2010) Effects of elevated CO₂ on ecophysiological responses of larch species native to Northeast Eurasia. In: Osawa, A., Zyryanova O. A. Matsuura, Y. Kajimoto, T. and Wein, R.W. Eds. Permafrost Ecosystem: Siberian Larch Forests. Ecological Studies 209, Springer Verlag, 447-458.

総説・解説

- (1) 小池孝良 (1988) 北海道産落葉広葉樹の稚苗と成木の光合成特性. 林木の育種、特別号: 37-38.
- (2) 小池孝良、真田 勝、太田誠一 (1993) 酸性雨: 森林生態系の現状と取り組み. 日本土

壤肥料学会誌 64:704-710.

- (3) 小池孝良・森 茂太・高橋邦秀・及川武久 (1995) 溫暖化研究の手法とその動向. 森林立地 37: 28-34.
- (4) Lechowicz, M.J. and Koike, T.(1995) Phenology and seasonality of woody plants: An unappreciated element in global change research? Canadian Journal of Botany 73:147-148.
- (5) 小池孝良・大崎 満 (1997) 機能タイプからみた樹木の温暖化適応能. 日本生態学会誌 47: 307-313.
- (6) 小池孝良・丸山温 (1997) 個葉からみたブナ背腹性の生理的側面. 植物地理・分類 46 : 23-28.
- (7) 小池孝良・日浦 勉・千葉幸弘 (1998) 地球温暖化と森林の CO₂ 固定能の意義. 動力 248: 19-24.
- (8) Abaimov, A. P., Zyryanova, O. A, Prokushkin, S. G, Matsuura, Y. and Koike, T. (2000) Forest ecosystems of the cryolithic zone of Siberia; regional features, mechanisms of stability and pyrogenic changes. Eurasian Journal of Forest Research 1: 1-10.
- (9) 小池孝良・笹 賀一郎・松浦陽次郎 (2001) タケ、ササ類群落の CO₂ 固定機能の評価に関する考察. Bamboo Journal 18: 1-14
- (10) Matsuda, K., Shibuya, M and Koike, T. (2002) Maintenances and rehabilitation of the mixed conifer-broadleaf forests in Hokkaido, northern Japan. Eurasian Journal of Forest Research 5: 131-133.
- (11) 小池孝良・香山雅純・北尾光俊 (2002) 変動環境下における冷温帶樹木の根系の発達と成長. 根の研究 11: 161-169.
- (12) 小池孝良・市栄智明・北岡 哲・北尾光俊 (2004) 落葉広葉樹の個葉の光合成特性と樹冠部の光合成機能. 地球環境 9: 191-202
- (13) 小池孝良 (2005) 葉の形から知る樹木の環境適応と光合成作用. 森林科学 45:4-10
- (14) 松木佐和子・小池孝良 (2005) 樹木の葉に見る防衛戦略のいろいろ. 森林科学 45: 23-31
- (15) 小池孝良(2009) 森林美学における巨樹・巨木の意義、樹木医学 13:104-105.
- (16) 小池孝良(2009) 変動環境下における森林美学考、森林技術 2009(9) : 34-37.
- (17) Koike, T. (2009) A trial of revegetation practices with larch species under changing environment. Landscape and Ecological Engineering 5: 97 - 98
- (18) Ryu K, Watanabe M, Shibata H, Takagi K, Nomura M, Koike T. (2009) Ecophysiological responses of the larch species in northern Japan to environmental changes as a base of afforestation. Landscape and Ecological Engineering 5: 99 -106
- (19) 小池孝良 (2010) 森林の再生—森林美学の視点から—開発こうほう (マルシェノルド)
3月 : 9 – 13.

プロシーディングス

- (1) Koike, T. (1993) Ecophysiological responses of the northern tree species in Japan to elevated CO₂ concentrations and temperature. First IGBP Symposium (Oshima, Y. ed.), Japan Promotion of Sciences, Tokyo, 425-430.1993
- (2) Koike, T. and Tabuchi, R. (1993) A trial of the measurement of CO₂ concentration in a forest and photosynthesis of woody species native to eastern Siberia. Proceeding of Russia and Japan Joint Siberian Permafrost Studies, 1: 69-74.
- (3) Maximov, T.C., Tabuchi, R. and Koike, T. (1994) Preliminary experiment of measuring light-photosynthesis curve of representative plants native to eastern Siberia region. Interim Report of Joint Research Project "Carbon Storage and Carbon Dioxide Budget in Forest Ecosystems" between Japan and Russia. (Takahashi, K. ed.) FFPRI, Sapporo, 21-22, 1994
- (4) Koike,T. and Tabuchi, R. (1994) Ecophysiological studies of woody plants of Yakutia. Abstract of Sakha-Japan Joint Research. Interim Report of Joint Research Project "Carbon Storage and Carbon Dioxide Budget in Forest Ecosystems" between Japan and Russia. (Takahashi, K. ed.) FFPRI, Sapporo, 59-71, 1994
- (5) Koike, T., Tabuchi. R., Lei, T.T., Maximov. T.C., Ivanov, B. and Takahashi, K. (1994) Growth and

- homeostatic adjustment in the photosynthetic capacity of Siberian and Japanese birch grown under elevated CO₂ and temperature. Proceedings of Russia and Japan Joint Siberian Permafrost Studies 2: 169-176.
- (6) Tabuchi, R., Koike, T., Maximov. T.C., Ivanov, B.I. and Takahashi, K. (1994) Gas exchange measurements on some major tree species in Siberian permafrost region in summer. Proceedings of Russia and Japan Joint Siberian Permafrost Studies , 2: 164-168.
 - (7) Ivanov,B.I., Maximov,T.C., Desyatkin,R.V., Kononov,A.V., Maximov,A.P., Koike,T. and Takahashi,K. (1995) CO₂ emission by conifers and leaf-bearing forests of Yakutia. Proc. Symposium Joint Permafrost studies between Japan and Russia in 1992-1994. (Solomonov,N., et al. eds.), Russian Academy of Science, Siberian Division, Yakut Institute of Biology, Yakutsk, 12-17.
 - (8) Maximov,T.C., Kononov,A.V. and Koike,T.(1995) Photosynthetic activity of woody plants in Yakutia. Proc. Sympo. Joint Permafrost study between Japan and Russia in 1992-1994. (Solomonov, N.et al. eds.), Russian Academy of Science, Siberian Division, Yakutsk, 24-30.
 - (9) Koike,T., Lei,T.T., Maximov,T.C., Mori,S., Takahashi,K and Ivanov, B.I. (1995) Growth and photosynthetic characteristics of Siberian white birch and Scotch pine seedlings raised under elevated CO₂ and temperature. Proceedings of Russia and Japan Joint Siberian Permafrost Studies 3: 102-108.
 - (10) Koike, T., Haibara, K., Lei, T. T., Matsuura, Y., Mori. S., Funada, R., Takahashi, K. and Ivanov, B. I.(1997) Comparison of photosynthetic characteristics of eastern Siberia larch, Scots pine and white birch seedlings raised under elevated CO₂. Proceedings of Russia and Japan Joint Siberian Permafrost Studies 5: 109-114.
 - (11) Takahashi, K., Koike, T., Tabuchi, R., Ohta, S., Maximov, T. C., Kononov, A.V. Maximov, A. P. and Ivanov, B. I. (1997) Diurnal change of atmospheric CO₂ concentration in Siberian Taiga during growing season at Yakutsk. Proceedings of Russia and Japan Joint Siberian Permafrost 5: 21-27.
 - (12) Koike, T., Lei, T. T., Mori, S., Chiba, Y. and Oikawa, T. (1997) Leaf structure and gas exchange responses of birch and maackia, a woody legume raised under CO₂ levels ranging from the pre-industrial period to a tripling. Int. Workshop on Global Change and Terrestrial Environment in Monsoon Asia. The University of Tsukuba Special Project for Global Change.7-10.
 - (13) Koike, T., Haibara, K., Matsuura, Y., Takahashi, K. Maximov, T. C. and Ivanov, B. I. (1999) Micro-site and age-dependent shoot development and needle nutrient levels of Scotch pine growing in the Yakutian permafrost region, eastern Siberia. Proc. of Forth Symposium on Joint Siberian Permafrost Studies between Japan and Russia. (Fukuda. M. ed.) The Low temperature Science Hokkaido University, Sapporo, 48-53.
 - (14) Koike, T. (1999) Forest vitality and health – a brief history of larch plantation in northern Japan-, Asia-Europe workshop- people-to-people exchange in sustainable forest management, University of Joensuu, Finland, 11-12.
 - (15) Koike, T., Yazaki, K., Funada, R., Maruyama, Y., Mori, S. and Sasa, K. (2000) Forest heath and vitality in northern Japan - A case study on larch plantation-. Research Note of Faculty of Forestry, The University of Joensuu. 92: 49-60.
 - (16) Koike, T., Sasa, K., Satoh, F., Yasue, K., Yazaki, K., Funada, R., Mori, S., Matsuura, Y., Maruyama, Y., Zyryanova, O.A., Prokushkin, A.S., and Abaimov, A. P. (2000) Annual ring growth of larch trees grown on the contrasting north-and south-facing slopes in eastern central Siberian Taiga under global changing environment. Proceedings of Russia and Japan Joint Siberian Permafrost 8: 23-28.
 - (17) Kitaoaka, S., Mori, S., Matsuura, Y., Abaimov, A.P., Sugishita, Y., Satoh, F., Sasa, K. and Koike, T. (2000) Comparison between the photosynthetic characteristics of larch species grown in northern Japan and central Siberia. Proc. Joint Siberia Permafrost Studies, 8: 49-54
 - (18) Prokushkin, A.S., Prokushkin, S.G. Koike, T. and Abaimov, A. P. (2000) Fluxes and activity of dissolved organic carbon in larch ecosystems of the northern part of central Siberia. Proceedings of Russia and Japan Joint Siberian Permafrost 8: 135-140.
 - (19) Koike, T. Tanaka, K., Kitao, M., Ninomiya, I., Kendawang, J.J. and Ogino, K. (2000) Photoinhibition of seedlings detected by a chlorophyll fluorescence method in the Bakam experimental reserve in Sarawak. Workshop on Forest Ecosystem Rehabilitation. Malaysia, 168-175.
 - (20) Hiromi, T., Ninomiya, I., Koike, T., and Ogino, K. (2000) Transpiration and stomatal regulation at canopy top of Tropical rain forest in Sarawak. Workshop on Forest Ecosystem Rehabilitation.

Malaysia. 176-181

- (21) Tanaka, K., Koike, T., Ninomiya, I., Kendawang, J.J. and Ogino, K. (2000) Response of light-photosynthesis curve of several tree species planted in the Bakam experimental reserve. Workshop on Forest Ecosystem Rehabilitation. Malaysia. 162-165.
- (22) Mori, S., Koike, T., Yanagihara, Y., Masyagina, O., Prokushkin, A.S., Kajimoto, T., Zyryanova, O.A., Prokushkin, A.S., Abaimov, A.P., Matsuura, Y. and Ueda, T. (2000) Daytime whole-tree respiration of *Larix gmelini* trees in middle Siberia. Proceedings of Russia and Japan Joint Siberian Permafrost 8: 59-65.
- (23) Ninomiya, I., Tanaka, K., Koike, T., Lee, H.S. and Ogino, K. (2000) Ecophysiology of seedlings planted in the Bakam experimental reserve. Workshop on Forest Ecosystem Rehabilitation. Malaysia, 25-29.
- (24) Zyryanova, I.A., Bugaenko, T.N., Buganenok, N.N., Koike, T., and Takenaka, A. (2001) Plant association diversity regeneration as related cryogenic microrelief and forest fires. Proceedings of Russia and Japan Joint Siberian Permafrost 9: 18-23.
- (25) Koike, T., Wang, W., Kitaoka, S., Mori, S., Matsuura, Y., Prokushkin, A.S., Zyryanova, O.A., Prokushkin, S.G. and Abaimov, A.P. (2001) Photosynthetic light curves of trees and shrubs grown under contrasting north-and south-facing slopes in central Siberia. Proceedings of Russia and Japan Joint Siberian Permafrost 9: 35-41.
- (26) Wang, W., Kitaoka, S., Shi, F., Sasa, K. and Koike, T. (2001) Respiration rate of stems and roots of a larch plantation with special reference to the seasonal change in their cambium activity. Proceedings of Russia and Japan Joint Siberian Permafrost 9: 42-49.
- (27) Korotki, T.I., Prokushkin, A.S., Prokushkin, S.G., Abaimov, A.P., Matsuura, Y., Koike, T. and Shibata, H. (2001) Variability of dissolved organic carbon and dissolved nitrogen in central Evenkia stream during vegetation period. Proceedings of Russia and Japan Joint Siberian Permafrost 9: 85-92.
- (28) Masyagina, O.V., Prokushkin, S.G., Mori, S., Koike, T. and Yanagihara, Y. (2001) Postfire vegetation cover respiration in permafrost zone of middle Siberia. Proceedings of Russia and Japan Joint Siberian Permafrost 9: 128-133.
- (29) Kitaoka, S., Kitahashi, Y., Shimizu, K., Hiura, T. and Koike, T. (2001) Canopy photosynthesis and transpiration in deciduous trees with special references stomatal and non-stomatal regulation. Proceedings of Canopy biology in Tropical Rain Forests. 108-114.
- (30) Koike, T., Kitahashi, Y., Nakagawa, M. and Nakashizuka, T. (2001) Mid-day depression of photosynthetic rate in canopy trees native to Tropical Rain Forest in the Lambir Hills National Park, Sarawak, Malaysia. Proceedings of Canopy biology in Tropical Rain Forests. 51-56.
- (31) Qu, L.Y., Quoreshi, A.M. and Koike, T. (2001) Root growth characteristics, biomass and nutrient dynamics of larch species raised under different fertilization regimes. Proceedings of International Symposium of Root Research, 6: 376-377.
- (32) Quoreshi, A.M., Qu, L.Y., Kitaoka, S. and Koike, T. (2001) Root growth, dry matter and nutrient partitioning in containerized *Picea glehnii* seedlings in response to exponential nutrient loading and elevated CO₂. Proceedings of International Symposium of Root Research, 6: 378-379.
- (33) Qu, L.Y., Wang, W., Shi, F.C., Quoreshi, A.M., Kitaoka, S. and Koike, T. (2001) Stem and soil respiration of Japanese larch plantation and their contributions to CO₂ flux estimation. Int. Carbon Dioxide Conference 6:441-444.
- (34) Kitaoka, S., Wang, W., Shi, F., Sasa, K. and Koike, T. 2001. Seasonal changes of light utilization capacity in deciduous broad-leaved tree seedlings invaded into trunk space of a larch plantation. 6th International Carbon Conference, 392-395.
- (35) Kitaoka, S., Koike, T., Quoreshi, A.M., Takagi, K., Wang, W., Shi, F., Kayama, M., Ishida, N., Mamiya, H. and Sasa, K. (2001) Seasonal changes in the photosynthetic capacity of Japanese larch trees planted on the Tomakomai National Forest, northern Japan. Proceedings of International Workshop for Advanced Flux Network and Flux Evaluation, 109-112.
- (36) Wang, W., Kitaoka, S., Koike, T., Quoreshi, A.M., Takagi, K., Kayama, M., Ishida, N., Mamiya, H., Shi, F., Zu, Y. and Sasa, K. 2001. Respiration of non-photosynthetic organs and forest soil of Japanese larch plantation and its contribution to CO₂ flux estimation. Proceedings of

- International Workshop for Advanced Flux Network and Flux Evaluation, 119-123.
- (37) Kayama, M., Kitaoka, S., Koike, T., Takagi, K., Satoh, F., Wang, W., Shi, F., Sugata, S., Hojyo, H., Sugishita, Y., Nomura, M., Akibayashi, Y. and Sasa, K. (2001) Photosynthetic Capacity of hybrid larch and dwarf bamboo grown in the Teshio experiment forest located at the border between Russia and Japan. Proceedings of International Workshop for Advanced Flux Network and Flux Evaluation, 105-108.
- (38) Koike, T., Matsuki, S. and Matsumoto, T. (2003) Effects of Defoliation on Defense Characteristics in Leaves of Deciduous Broad-Leaved Tree Species in Changing Environment. COE international symposium of Kanazawa University on Long- and short-term dynamics Pan-Japan Sea area: Environmental Change and Prediction. 402-405.
- (39) Koike, T., Kuromaru, M., Qu, L.Y., Choi, D.S., Takagi, K., Masyagina, O.V., Wang, W.J., and Sasa, K. (2004) Process of larch plantation in northern Japan and development of hybrid larch (F1) for overcoming biological stresses. International Congress on Forest Bio-Resources (Khabarovsk, Russia) Far East Forest Research Institute (Khabarovsk) 57-63.
- (40) Koike, T., N. Eguchi, S. Kitaoka, Y. Watanabe, R. Funada, K. Takagi, T. Hiura, and K. Sasa.(2008) Effect of elevated CO₂ on the physiological adjustment and xylem structure of deciduous tree species grown in Free Air CO₂ Enrichment (FACE). Proceedings of the International Conference on Sustainable Agriculture for Food, Energy and Industry 2008 (ICSA2008), 6-
- (41) Kitaoka, S., T. Sakata, M. Watanabe, Y. Kim, H. Utsugi, H. Tobita, A. Uemura, S. Aizawa, M. Kitao, Y. Maruyama, K. Sasa, and T. Koike. (2008) Evaluation of methane emission from three dominant cool temperate deciduous tree species grown under elevated CO₂ concentration in northern Japan. Proceedings of the International Conference on Sustainable Agriculture for Food, Energy and Industry 2008 (ICSA2008), 11
- (42) Kim, Y.S., Y.Y. Lee, M.J. Yi, Y. Son, and T. Koike. (2008) Soil CO₂ efflux and its relationship to vegetation in even-aged alder and pine forests, Central Korea. 32
- (43) Ryu, K., H. Shibata, M. Watanabe, K. Takagi, M. Nomura, and T. Koike.(2008) A brief history of larch plantation in northern Japan with special reference to environmental change. 57
- (44) Karaki, T., T. Kondo, Y. Watanabe, M. Kadomatsu, Y. Akibayashi, H. Saito, M. Shibuya and T. Koike. (2008) Development of water impermeability and anatomical feature in seeds of Black locust (*Robinia pseudoacacia*), an invasive species in Japan. 159-162.
- (45) Makoto, K., H. Shibata, Y. Kim, T. Satomura, K. Takagi, M. Nomura, F. Satoh, K. Sasa, and T. Koike. (2008) Effects of experimental burning on the soil nutrient concentrations in white birch forest in Hokkaido, northern Japan. - a method for experimental burning- 264-269
- (46) Koike, T., Kitao, M., Kitaoka, S., Watanabe, M., and Maruyama, Y. (2008) Leaf morphological and functional adaptation of Siebold beech (*Fagus crenata*) seedlings grown at tow water regimes. Proc. The 8th IUFRO International Beech Symposium, 103-105.
- (47) Watanabe, Y., Otsuka, Y., Hinata, K. And Koike, T. (2008) Localization of chemical defensive materials in leaves of beech (*Fagus crenata*) growing at various environmental conditions. Proc. The 8th IUFRO International Beech Symposium, 181-183.
- (48) Makoto, K., Shibata, H., Kim Y.S., Satomura, T., Takagi, K., Nomura, M., Satoh, F., Sasa, K., Koike, T. (2008) The effects of charcoal removal on short term soil nutrient dynamics after experimental burning in the *Betula platyphylla* forests, northern Japan. Proceed. "The '88 Fires: Yellowstone and Beyond" in Jackson, Wyoming on September 22-27, 2008. Pp 124-125.
- (49) Makoto, K., Semyon, V. B., Nemilostiv, Y. P., Prokopchuk, V. F., Kajimoto, T., Yojiro Matsuura, Y., Toshiya, T Y., Satoh, F., Sasa, K., Koike, T. (2008) The carbon accumulation rate in mixed conifer-broad leaved forests in the southern part of Russian Far East. Proceed. of The First International Symposium on Arctic Research (ISAR-1). 4-6 November 2008, Tokyo, Japan. Pp 364-367.
- (50) Watanabe, M., Kitaoka, S. and Koike, T. (2010) Aerobic methane emission from leaves of birch and other afforestation tree species under elevated CO₂ concentration. Proceedings of 4th

International Symposium on Sap Utilization, 137-141.

- (51) Novriyanti, E., Watanabe, M., Aoyama, C. and Koike, T. (2010) Plant defense characteristics of birch species: a literature survey. Proceedings of 4th International Symposium on Sap Utilization, 204-212.
- (52) Mao, Q., Watanabe, M., Imori, M. and Koike, T. (2010) Comparative research on the growth traits of Chinese birch and larch as re-vegetation materials. Proceedings of 4th International Symposium on Sap Utilization, 253-260.
- (53) Kim YS, Makoto K, Takagi K, Hatano R, Koike T (2010) Greenhouse gas emissions in a post-fire white birch stand in northern Japan. Proceedings of the 4 th International Symposium on Sap Utilization, 142-148.
- (54) Aoyama, C. and Koike, T. (2010) Induced Defense of Japanese White Birch Seedlings against Insect Herbivores. Proceedings of the 4 th International Symposium on Sap Utilization, 149-153.
- (55) Koike, T. and Shimizu, Y. (2010) A role of forest aesthetics in birch stands under changing environment. Proceedings of the 4 th International Symposium on Sap Utilization, 129-136.

国際会議要旨集

- (1) Matsuki S. and Koike, T. (2001) The differences in the responses of spring leaf damage in Betulaceae seedlings" BRAIN Symposium, Multitrophic Interactions and Evolutionally Benign Pest Management, Kyoto, Jan. 2001, PO-5.
- (2) Koike, T., Matsuki, S., Matsumoto, T. and Maruyama, Y. (2001) Successional traits and defense chemicals of leaves of adult trees in Betulaceae. BRAIN Symposium, Multitrophic Interactions and Evolutionally Benign Pest Management, Kyoto, Jan. 2001, PO-4.
- (3) Koike, T., Jin, H.O. and Son, Y.H. (2002) Forest Health and vitality of coniferous forests in East Asia under changing environment. 8th International Congress on Ecology, Seoul, Aug., 2000
- (4) Kayama, M., Kitaoka, S., Okuyama, S., Matsuda, K., and Koike, T. (2002) Needle longevity and turnover of five spruce species planted in northern Japan. VIII INTECOL 2002, Seoul, August 2002.
- (5) Kitahashi, Y., Ichie, T., Maruyama, Y. and Koike, T. (2002) Difference of water-use efficiency in the crown of tropical trees. 3rd International Canopy conference 2002, CAIRNS-Australia
- (6) Kitahashi, Y., Maruyama, Y., Ichie T., Koike, T. (2002) Water utilization of broad-leaved trees varies at different height of the same sunny crown. VIII INTECOL 2002, SEOUL-Korea8th International Congress on Ecology, Seoul, Aug., 2002
- (7) Qu, L.Y., Yanagihara, Y., Kitaoka,S., Fujinuma, Y., Sasa, K and Koike, T. (2002) Seasonal changes in the soil respiration rate in a Japanese larch forest 8th International Congress on Ecology, Seoul, Aug., 2002
- (8) Matsuki, S. and Koike, T. (2002) Chemical and physical defense of Betulaceae seedlings under changing environment" 8th International Congress on Ecology, Seoul, Aug., 2002.
- (9) Ichie, T., Nishimura, K., Ninomiya, I., Koike, T. and Nakashizuka, T. (2002) Flushing mechanism for a tropical canopy tree, *Dipterocarpus pachyphyllus*. 3rd International Canopy Conference (Cairns, Australia) , 2002, June
- (10) Koike, T. Ichie, T., Nakagawa, M. and Nakashizuka, T. (2002) Photosynthetic characteristics of emergent trees in Lambir, Malaysia. 3rd International Canopy Conference (Cairns, Australia) , 2002, June.
- (11) Ichie, T., Kenta, T., Nishimura, K., Ninomiya, I., Koike, T. and Nakashizuka, T. (2002) Dynamics of the storage resource for general flowering process of a tropical emergent tree, *Dipterocarpus tempehes*. INTECOL, 8th, Seoul, Korea, 2002, Aug.
- (12) Teskey, R.O. and Koike, T. (2002) Carbon cycle management in forests. "Carbon cycle management in terrestrial ecosystems", Proc. The 9th U.S.-Japan workshop on global change. 9-10.
- (13) Koike, T. (2002) Maintenance of high biomass productivity of mixed conifer-broadleaved forests under changing environment: an ecophysiological perspective. "Carbon cycle

- management in terrestrial ecosystems”, Proc. The 9th U.S.-Japan workshop on global change. 35-36.
- (14) Ichie, T., Koike, T. and Ninomiya, I. (2002) Dynamics of the storage resources for reproduction of tropical emergent trees, *Dipterocarpus tempehes* and *Dryobalanops aromatica*. 50th Annual meeting of Japanese Ecological Society (Tsukuba Conference center) 2003, March.
- (15) Qu L.Y., Y. Yanagihara, F.C. Shi, Y. Fujinuma, K. Sasa and T. Koike (2002) Seasonal changes in soil respiration rate of a Japanese larch forest. 8th International Congress on Ecology, (Seoul, Korea).
- (16) Qu, L.Y., T. Shinano, A. M. Quoreshi, Y. Tamai, M. Osaki and T. (2003) Allocation of ¹⁴C-carbon in infected with ectomycorrhizae of two species of larch seedlings. Proceeding of Third International Symposium Dynamics of Physiological Processes in Woody Roots. September 2003
- (17) Koike.T.: Defense characteristics of mountain alder (*Alnus hirsuta*) grown in elevated CO₂ and nitrogen supply. The 6th International Symposium on Plant Responses to Air Pollution (APGC), Tsukuba. 2004
- (18) Yazaki, Y., Y. Maruyama, S. Mori, T. Koike and R. Funada (2004) Effects of elevated carbon dioxide concentration ([CO₂]) on wood structure and formation in trees. The 6th International Symposium on Plant Responses to Air Pollution (APGC), Tsukuba.
- (19) Choi, D.S., Jin, H.O, Maruyama, Y. Koike, T. 2004. Photosynthetic characteristics of larch seedlings inoculated with ectomycorrhiza under different CO₂ levels. IUFRO (International Union of Forest Research Organization) workshop on Growth and Breeding of *Larix*, Kyoto.
- (20) Choi, D.S., Quoreshi, A.M., Jin. H.O, Maruyama. Y. Koike. T. 2004. Mycorrhizal activities in *Pinus densiflora*, *P. koraiensis* and *Larix kaempferi* raised under high CO₂ in relation to water use efficiency. The 6th International Symposium on Plant Responses to Air Pollution (APGC), Tsukuba.
- (21) DongHun JI, DongSu Choi , Eguchi, N., Watanabe, Y., Kitaoka,S., Endo,I., MyongJong YI, Koike, T.: Effects of shading on the photosynthetic characteristics of Japanese larch (*Larix kaempferi*) seedlings raised under different nitrogen regimes. IUFRO (International Union of Forest Research Organization) workshop on Growth and Breeding of *Larix*, Kyoto, 2004
- (22) Eguchi, N., Fukatsu, E., Funada R., M., Maruyama, Y., Koike, T. Changes of photosynthetic capacity of Japanese larch (*Larix kaempferi*) seedlings grown in high CO₂ concentration: morphological and anatomical approach within the needles. (International Union of Forest Research Organization) workshop on Growth and Breeding of *Larix*, Kyoto, 2004.
- (23) Eguchi, N., Funada, R., Ueda, T, Hiura, T., Sasa, K., Takagi, K., Koike, T. Growth and physiological responses of deciduous tree seedlings in northern Japan to elevated CO₂ with FACE system. The 6th International Symposium on Plant Responses to Air Pollution and Global Changes APGC, (Tsukuba, Japan). 2004.10
- (24) Kitaoka, S. Wang, W., Sakuma, Y, Choi, D.S., Kayama, M., Fujinuma, Y., Hirano, T., Sasa, K. and Koike, T.: Seasonal and yearly variation of CO₂ assimilation capacity in needles of the canopy of larch trees in northern Japan. IUFRO (International Union of Forest Research Organization) workshop on Growth and Breeding of *Larix*, Kyoto, 2004
- (25) Kayama, M., Kitaoka, S., Wang, W., Choi, D., Sugata, S., Hojyo, H., Naniwa, A., Takagi, K., Nomura, M., Sasa, K., and Koike, T. Seasonal change of photosynthetic capacity in canopy of hybrid larch (*Larix gmelinii* × *L. kaempferii*). (International Union of Forest Research Organization) workshop on Growth and Breeding of *Larix*, Nagano, September 2004.
- (26) Takagi, K., Nomura, M., Sasa, K., Koike, T., Shibata, H., Akibayashi, Y., Fujinuma, Y., Inukai, K., Maebayashi, M.: Deforestation effects on the micrometeorology in a cool-temperate forest in northernmost Japan, Abstracts of the International Symposium on Food Production and Environmental Conservation in the Face of Global Environmental Deterioration, Fukuoka, Japan, pp. 159 (2004)
- (27) Sakuma, Y., Watanabe, Y., Fujinuma, Y., Kayama, M., Ichie, T., Kitaoka, T., Sasa, K., Koike, T.: Canopy photosynthetic traits of short- and long-shoot needles in Japanese Larch (*Larix kaempferi*). IUFRO (International Union of Forest Research Organization) workshop on Growth and Breeding of Larix, Kyoto, 2004

- (28)Takagi, K., T., Nomura, M., Sasa, K., Koike, T., Shibata, H., Akibayashi, Y., Fujinuma, Y., Inukai, K., Maebayashi, M.: Deforestation effects on the CO₂ and H₂O fluxes in a cool-temperate forest in northernmost Japan, Abstracts of the 6th International Symposium on Plant Responses to Air Pollution and Global Changes, Tsukuba, Japan, pp. 231 (2004)
- (29)Koike, T., Kuromaru M., DongHun Ji, DongSu Choi, Takagi, K., Nomura, M., Sasa, K.: A brief history of making larch plantations and development of hybrid larch F1 in northern Japan. IUFRO (International Union of Forest Research Organization) workshop on Growth and Breeding of Larix, Kyoto, 2004.
- (30)Matsuki S., Hara H. and Koike T. (2004) Comparison of the palatability of gypsy moth across several woody species native to northern Japan. XV U.S. Department of Agriculture Interagency Research Forum on Gypsy moth and other invasive species 2004 (Annapolis)
- (31)Koike, T., Yazaki, K., Choi, D.S., Eguchi, K., Funada, R., Maruyama, Y., Masyagina, O.V., Abaimov, A.P. (2004) Effect of elevated CO₂ on the photosynthetic responses of three species of larch -Larch as reforestation materials for forest rehabilitation- International Congress on Biological Resources of Russia Far East (Blagoveschensk, Amur, Russia) Far Eastern Agriculture State University Press, 175-179.
- (32)Eguchi, N., K. Karatsu, T. Ueda, R. Funada, K. Takagi, T. Hiura, K. Sasa, and T. Koike (2005) Change of growth and photosynthetic responses of deciduous tree species saplings grown in a free air CO₂ enrichment (FACE) system. 7th International Carbon Conference, Colorado, U.S.A.
- (33)Choi, D.S., Y. Maruyama, H.O Jin, K. Sasa and T. Koike (2005) Effect of ectomycorrhizal infection on the growth and photosynthetic characteristics of three species of pine seedlings grown under elevated CO₂ concentrations. 7th International Carbon Conference, Colorado, U.S.A.
- (34)Koike, T., Matsuki, S., Choi, D.S., Matsumoto, T., Sakamoto, Y. and Maruyama, Y. (2006) Leaf longevity and defense characteristics in trees of Betulaceae. IUFRO workshop S07.
- (35)Matsuki, S., Hara, H. and Koike, T. (2006) Comparison of Foliar Defense by Chemical Analysis and Bioassay in Betulaceae seedlings. IUFRO Kanazawa 2003 INTERNATIONAL SYMPOSIUM "Forest Insect Population Dynamics and Host Influences"
- (36)Koike, T., Matsuki, S., Shibata, T., Tobita, H., Konno, K., Kitao, M., Maruyama, Y. (2005) Defense characteristics of deciduous broad-leaved tree seedlings grown under factorial combination of two levels of CO₂ and nitrogen, 17th International Botanical Congress (Vienna)
- (37)Eguchi N, Karatsu K, Ueda T, Takagi K, Sasa K, Hiura T, Funada R, Koike T (2005) Change of photosynthetic capacity of *Alnus hirsuta* sapling grown in a free air CO₂ enrichment (FACE) system-Comparing the proximate *Betula* spp. without symbiotic N₂ fixing micro-organism- 17th International Botanical Congress (Vienna)
- (38)Qu, L.Y., Kitaoka, S., Sasa, K. and Koike, T. (2005) Influence of environmental factors, soil carbon, and soil microorganism biomass on soil microbial respiration in a Japanese larch forest. 9th INTECOL (Montreal)
- (39)Koike, T., Satoshi Kitaoka, Yoko Watanabe, T. Hiura, Donghun JI and K, Ssasa (2005) Dynamics of nitrogen in leaves of deciduous broad-leaved trees and seedlings grown in unmanaged plantations in northern Japan. Joint Symposium of SNU, KNU and HU at Sapporo. (Ed. M. Terazawa), 2005.
- (40)Makoto, K., Nemylostiv Y., T. Kajimoto, Y. Matsuura, F. Sato, K. Sasa and T. Koike: "Regeneration of mixed conifer-broadleaf forest in Far East Russia after forest fires. In International seminar on "Regeneration and dynamics of mixed conifer broad-leaved forests in East Asia after Natural and Man-made disturbances" Amur, Russia, October 12,13, 2006.
- (41)Koike, T., S. Kitaoka, O. V. Masyagina, Watanabe, Y., Ji, D. H. and Sasa, K. (2006) Dynamics of nitrogen in leaves of deciduous broad-leaved trees grown in unmanaged plantations in northern Japan In: International seminar on "Regeneration and dynamics of mixed conifer broad-leaved forests in East Asia after Natural and Man-made disturbances" Amur, Russia, October 12,13, 2006.

- (42) Eguchi, K. Karatsu, N. Morii, T. Hida, Ueda T, Funada R, Takagi K, Hiura T, Sasa K, Koike T (2006) Changes in Growth Traits of Eleven Woody Species in Northern Japan with High CO₂ Concentration. In International Conference on CO₂ environment, Vladivostok, Russia, September, 17-20, 2006.
- (43) T Karaki, T Kondo, Y Watanabe, M Kadomatsu, Y Akibayashi, H Saito, M Shibuya and T Koike (2007) Development of water impermeability in seeds of black locust (*Robinia pseudoacacia*), an invasive species in Japan. In: SEED ECOLOGY II 2007, The 2nd International Society for Seed Science Meeting on Seeds and the Environment 9 - 13 September 2007, Perth, Western Australia,
- (44) Koharu RYU, Makoto Watanabe, Hideaki Shibata & Takayoshi Koike (2008) "Possible Functions of Environmental Stresses to the Larch Seedlings Infected with Ectomycorrhizal Fungi. "Japan-Australia International Symposium on: Biological Interactions with Plant Roots and Aerial Tissues" Hokkaido University, Sapporo July 28, 2008
- (45) Koike T, Tobita H, Agari T, Utsugi H, Uemura A, Kitao M, Makoto K and Hashidoko Y (2008) Susceptibility to insect herbivory of alder species native to northern Japan grown at elevated CO₂ with a FACE system, 15th International Frankia and Actinorhizal Plants, Meeting October 19-23, 2008, Bariloche, Argentina Poster session.
- (46) Watanabe, Y., Hinata, K., Ootsuka, Y., Watanabe, M., Sasa, K. and Koike, T. (2010) Seasonal changes in distribution of defensive chemical substances in leaves of deciduous broadleaved tree species in northern Japan. International Conference on "Mechanisms of Growth, Competition and Stress Defense in Plants", 1-3 March 2010, Freising, Germany.
- (47) Watanabe, M., Kitaoka, S., Takagi, K., Sasa, K. and Koike, T. (2010) Growth and photosynthetic traits of coppice of (*Quercus crispula*) under elevated CO₂ concentration: Powdery mildew-mediated effects. International Conference on "Mechanisms of Growth, Competition and Stress Defense in Plants", 1-3 March 2010, Freising, Germany.
- (48) Koike, T., Tobita, H., Agari, T., Kitao, M., Watanabe, M., Makoto, K., Sasa, K. and Hashidoko Y. (2010) Plant defense characteristics of alder species native to northern Japan grown at elevated CO₂ in FACE. International Conference on "Mechanisms of Growth, Competition and Stress Defense in Plants", 1-3 March 2010, Freising, Germany.